


Material:
Nylon 66 UL 94V-0, Color Nature

Ordering Code

CI06 ** S 0000
 ① ② ③ ④

- ① Series No.
- ② No. of Circuits:
- ③ S= Connector housing
- ④ Other option: 0000= Standard



Circuits	Dimension	
	A	B
2	2.00(.079)	4.6(.181)
3	4.00(.157)	6.6(.260)
4	6.00(.236)	8.6(.339)
5	8.00(.315)	10.6(.417)
6	10.00(.394)	12.6(.496)
7	12.00(.472)	14.6(.575)
8	14.00(.551)	16.6(.654)
9	16.00(.630)	18.6(.732)
10	18.00(.709)	20.6(.811)
11	20.00(.787)	22.6(.890)
12	22.00(.866)	24.6(.969)
13	24.00(.945)	26.6(1.047)
14	26.00(1.024)	28.6(1.126)
15	28.00(1.102)	30.6(1.205)
16	30.00(1.181)	32.6(1.283)



RoHS Compliant

④																			
③																			
②																			
①	Sandy	4/2-07'	ECN07128																
SYM	NAME	DATE	REVISIONS																

CVILUX CORP.
 2007.04.16
 ISSUED

DRAWN BY: Sandy 4/2-07'
 ENGINEER: Eisley 4/3-07'
 CHECKED BY: David 4/3-07'
 APPROVED BY: Alex 4/3-07'

UNIT: mm / inch
 TOLERANCE UNLESS OTHERWISE SPECIFIED
 .X ± 0.30/012 X' ± 1"
 .XX ± 0.20/008 .X' ±
 .XXX ± 0.10/004 .XX' ±

TITLE: 2.00MM(.079")
 CRIMP TERMINAL HOUSING
 MATERIAL:
 FINISH:

瀚荃股份有限公司
 CviLux Corporation

DRAWING NO. CI0603SB PART NO. CI06**S0000
 SCALE 4 / 1 SHEET 1 OF 1